

深圳秋田微电子股份有限公司 SHENZHEN AV-DISPLAY CO.,LTD

地址:深圳市龙岗区园山街道荷坳金源工业区金源路 39 号

Address: No. 39, Jinyuan Road, He'ao Jinyuan industrial zone, Yuanshan Town, Long Gang District, Shenzhen, China 电话:(086)0755-88860696 传真:(086)0755-26911092 TEL: (086)0755-88860696 FAX: (086)0755-26911092

网址:Http://www.av-display.com.cn

SPECIFICATION FOR AVD-IOT-AA-A007M Customer Approval:

	SIGNATURE	DATE
PREPARED BY	By in	2021.03.12
CHECKED BY	和花色	2021.03.12
APPROVED BY	色定善	2021.03.12

Notes:

- 1. Please contact AVD before assigning your product based on this module specification.
- 2. To improve the quality of product, and this product specification is subject to change without any notice.



Rev No.	Rev date	Contents	Remarks
0	2021.03.12	First release	Preliminary



CONTENTS

1. Product Introduce	4
2. LCD Specification	
3. Touch Panel Specification.	4
4. Backlight Characteristics	4
5. Interface Definition	5
6. Electronic Characteristics	6
7. Environment Characteristics	6
8. ELECTRO-OPTICAL CHARACTERISTICS	6
9. Mechanical Structure	8
10. RELIABILITY TEST CONDITIONS	8
11 INSPECTION CRITERION	10



1. Product Introduce

AVD-IOT-AA-A007M is suitable for multiple market segments and display application, is perfect for retail self-service, POS kiosks, door entry, conditional access, casino, industrial automation, and embedded application.

2. LCD Specification

No.	Item	Contents	Unit
1	LCD size	4.3 inch (Diagonal)	1
2	LCD type	IPS/Normally Black/Transmissive	/
3	Viewing direction(eye)	FREE	1
4	Gray scale inversion direction	1	1
5	Resolution(H*V)	480 *272 Pixels	1
6	Module size (L*W*H)	105.40*67.10*2.95	mm
7	Active area (L*W)	95.04*53.86	mm
8	Pixel pitch (L*W)	0.198*0.198	mm
9	Interface type	HD display	1
10	Power supply	Micro USB 5V	
11	Module power consumption	TBD	
12	Back light type	LED	/
13	Weight	TBD	g

3. Touch Panel Specification

No.	Item	Description
1	Туре	Capacitive touch
2	Power	5V
3	Support finger number	5 Point
4	Touch System Interface	Micro USB

4. Backlight Characteristics

(at Ta=25°C,RH=60%)

Item	Symbol	Min.	Тур.	Max.	Unit	Note
LED forward voltage	VF	16.2	18	19.2	V	IF=20*2mA
LED forward current	IF	-	40	-	mA	
LED power consumption	PLED	-	0.72	-	W	Note1
Number of LED	-		12		PCS	
Connection mode	-	6 in series 2 in parallel			1	
LED life-time	_	20000	-	-	Hrs	Note2



5. Interface Definition

5.1 Power Supply Interface (power)



Micro USB

Pin No.	Symbol	Description
1	VBUS	Power supply 5V
2	NC	NC
3	NC	NC
4	NC	NC
5	GND	Ground

5.2 Touch Panel Interface (TP)



Micro USB

Pin No.	Symbol	Description
1	VBUS	Power supply 5V
2	D-	USB data-
3	D+	USB data+
4	NC	NC
5	GND	Ground

5.3 HDMI Interface



HDMI TYPE-A

Pin No	Symbol	Pin No	Symbol
1	TMDS Data 2+	11	GND
2	GND	12	TMDS Clock -
3	TMDS Data 2-	13	CEC
4	TMDS Data 1+	14	Reserved
5	GND	15	SCL
6	TMDS Data 1-	16	SDA
7	TMDS Data 0+	17	GND
8	GND	18	+5V
9	TMDS Data 0-	19	Hot Plug Detect
10	TMDS Clock +		



6. Electronic Characteristics

Item	Test condition	Min	Тур	Max	Unit
Working voltage	25 ℃	5	5	6	V
Working current	25℃	-	TBD	-	mA

7. Environment Characteristics

Item	Test Environmental	Min	Тур	Max	Unit
Operation	VDD=5V, Humidity 60%	-20	25	70	$^{\circ}\mathbb{C}$
temperature	VDD-5V, Hullilally 60%	-20	25	70	C
Storage	VDD=5V, Humidity 60%	-30	25	80	$^{\circ}\mathbb{C}$
temperature	VDD-5V, Hullilally 60%	-30	25	00	
Humidity	25 ℃	10%	60%	90%	RH

8. ELECTRO-OPTICAL CHARACTERISTICS

Item	Symbol	Condition	Min.	Тур.	Max.	Unit	Note
Response time	Tr+ Tf		-		40	ms	Note 4
Contrast ratio	Cr	-	550	650	-	_	Note 1
Surface luminance	Lv	θ=0°	200	250	-	cd/m ²	Note 2
Luminance uniformity	Yu	θ=0°	75	80	ı	%	Note 3
NTSC	-	θ=0°	-	50	ı	%	Note 5
	θ	∅=90°	80	85	-	deg	Note 6
Viewing angle		Ø=270°	80	85	-	deg	
Viewing angle		∅=0°	80	85	-	deg	
		Ø=180°	80	85	-	deg	
	Red x			0.5870		-	
	Red y			0.3468		-	
	Green x	0-00		0.3680		-	
CIE (x,y)	Green y	θ=0° ∅=0°	Тур	0.5741	Тур	-	Note 5
chromaticity	Blue x	 Ta=25°C	-0.04	0.1547	+0.04	-	Note 5
	Blue y	1 a-25 C		0.1065		-	
	White x			0.3283		-	
	White y			0.3579			

Note1.Definition of contrast ratio

Contrast ratio(Cr) is defined mathematically by the following formula.

For more information see FIG.2.



Contrast ratio=

Luminance measured when LCD on the "White" state

Luminance measured when LCD on the "Black" state

Measured at the center area of the LCD

Note2. Definition of surface luminance

Surface luminance is the luminance with all pixels displaying white.

For more information see FIG.2.

Lv = Average Surface Luminance with all white pixels(P1,P2,P3,,Pn)

Note3. Definition of luminance uniformity

The luminance uniformity in surface luminance is determined by measuring luminance at each test position 1 through n, and then dividing the maximum luminance of n points luminance by minimum luminance of n points luminance. For more information see FIG.2.

 Y_{u} Minimum surface luminance with all white pixels (P1,P2,P3,.....,Pn)

Maximum surface luminance with all white pixels (P1,P2,P3,.....,Pn)

Note4. Definition of response time

The response time is defined as the LCD optical switching time interval between "White" state and "Black"state. Rise time (T_{ON}) is the time between photo detector output intensity changed from 90% to 10%. And fall time (T_{OFF}) is the time between photo detector output intensity changed from 10% to 90%. For additional information see FIG1.

Note5. Definition of color chromaticity (CIE1931)

CIE (x,y) chromaticity, The x,y value is determined by screen active area center position P5. For more information see FIG.2.


Note6. Definition of viewing angle

Viewing angle is the angle at which the contrast ratio is greater than 10. angles are determined for the horizontal or x axis and the vertical or y axis with respect to the z axis which is normal to the LCD surface. For more information see FIG.3.

For viewing angle and response time testing, the testing data is base on Autronic-Melchers's ConoScope or DMS series Instruments or compatible. For contrast ratio, Surface Luminance, Luminance uniformity and CIE, the testing data is base on TOPCON's BM-5or BM-7 photo detector or compatible.



9. Mechanical Structure





10. RELIABILITY TEST CONDITIONS

No.	Test item	Test con	dition	Inspection after test
10.1	High temperature storage test	+80C/240 hours		
10.2	Low temperature storage test	-30°C/240 hours		
10.3	High temperature operating test	+70°C/120 hours		
10.4	Low temperature operating test	-20°C/120 hours		Inspection after 2~4hours storage at
10.5	Temperature cycle storage test	-30°C ~ 25°C ~ +80° (30min.) (10min.) (30	,	room temperature, the sample shall be free
10.6	High temperature high humidity test	+50°C*90% RH/120	hours	from defects : 1.Current changing
10.7	Vibration test	Frequency : 250 r/mi Amplitude : 1 inch Time: 45min	n	value before test and after test is 50% larger; 2. Function defect :
		Drop direction: 1 corner/3 edges/6 s	ides 10 time	Non-display,abnormal-d isplay,missing lines,
		Packing weight(kg)	Drop height(cm)	Short lines,ITO corrosion;
10.8	Drop test	<11	80±1.6	3.Visual defect : Air
		11 ≦ G<21	60±1.2	bubble in the LCD,Seal
		21 ≦ G<31	50±1.0	leak,Glass crack.
		31 ≦ G<40	40±0.8	
10.9	ESD test	Air discharge: ±8KV, 10time Contact discharge: ±4KV, 10time		

Remark:

- 1. The test samples should be applied to only one test item.
- 2.Sample size for each test item is 3~5pcs.
- 3.For High temperature high humidity test, Pure water(Resistance>10M Ω) should be used.
- 4.In case of malfunction defect caused by ESD damage, if it would be recovered to normal state after resetting, it would be judged as a good part.
- 5.B/L evaluation should be excepted from reliability test with humidity and temperature: Some defects such as black spot/blemish can happen by natural chemical reaction with humidity and Fluorescence B/L has.
- 6. Failure judgment criterion: Basic specification, Electrical characteristic, Mechanical characteristic, Optical characteristic.



11. INSPECTION CRITERION

11.1 Objective

The TFT test criterion are set to formalize TFT quality standards for AVD with reference to those of the customer for inspection, release and acceptance of finished TFT products in order to guarantee the quality of TFT products required by the customer.

11.2. Scope

The criterion is applicable to all the TFT products manufactured by AVD.

11.3. Equipment for Inspection

Electrical tester, electrical testing machines, vernier calipers, microscopes, magnifiers, anti-static wrist straps, finger cots, labels, tri-phase cold and hot shock machine, constant temperature and humidity chamber, backlight table, ovens for high-low temperature experiments, refrigerators, constant voltage power supply (DC), desk Lamps, etc.

11.4. Sampling Plan and Reference Standards

11.4.1 Sampling plan:

Refer to National Standard GB/T 2828.1---2012/ISO2859-1:1999, level II of normal levels:

Major defect: AQL 0.4 Minor defect: AQL 1.0

11.4.2 GB/T 2828.1---2012/ISO2859-1:1999 Sampling check procedure in count

11.4.3 GB/T 18910. Standard for LCM parts


11.4.4 GB/T24213-2008 Basic Environmental Test Procedures for Electrical and Electronic Products


11.4.5 IPC-A-610E Acceptability of Electronic Assemblies

11.5. Inspection Conditions and Inspection Reference

11.5.1 Cosmetic inspection: shall be done normally at 23±5℃ of the ambient temperature and 45~75%RH of relative humidity, under the ambient luminance between 500lux~1000lux and at the distance of 30cm apart between the inspector's eyes and the LCD panel and normally in reflected light. For backlight LCM, cosmetic inspection shall be done under the ambient luminance less than 100lux with the backlight on.

11.5.2 The TFT shall be tested at the angle of 45°left and right and 0-45° top and bottom as the following picture showing:





11.5.3 Definition of viewing area(VA)


A area : Active area(AA area)
B area : Viewing area(VA area)

C area: Non-viewing area(not viewing after customer assembly)



If there is any appearance viewing defect which do not affect product quality and customer assembly in C area, it's accepted in generally.

The criteria apply to A and B area except chipping and crack.



- 11.5.4 Inspection with naked eyes(exclusive of the inspection of the physical dimensions of defects carried out with magnifiers)
- 11.5.5 ND card use method(refer to right conner image) and scope: Multi-bright dot; Mura(Black/Gray pattern uneven); dark line and so on.
- 11.5.6 Undefined items or other special items, refer to mutual agreement and limited sample. If criterion does not match product specifications/ technical requirement, both should be subject to special inspection criterion agreed by customer.

11.6. Defects and Acceptance Standards

- 11.6.1 Electrical properties test
- 11.6.1.1 Test voltage(V): Refer to the instruction of testers and the product specification or drawing and the display content and parameters and display effects shall conform to the product specification and drawing.
- 11.6.1.2 Current Consumption(I): Refer to approved product specifications or drawings.
- 11.6.1.3 Function items(Defect category : MA.)

No.	Defects	Descriptions	Pictures	Inspection method/tools	Defect category
11.6.1.3.1		shows no picture/display in		Naked eyes/	MA.
	/reaction	normal connected situation.		testers	
11.6.1.3.2	Missing	Shows missing lines in normal		Naked eyes/	MA.
1110111012	segment	display		testers	
		Only visible on gray pattern, 1 or		Naked eyes/	
11.6.1.3.3	Dark line	more vertical/horizontal	1	•	MA.
		lines:5%ND,not visible,OK		testers	
11.6.1.3.4	POL angle	Not accepted	6		1 4.
	defect	ND Filter			30 cm
			90+/-15"	1-2 cm	



11.6.1.3.5	Image retention (sticking)	Chess pattern stays for 30mins and change to 50% gray pattern, disappear time <10s, OK; if time>10s, NG		Naked eyes/ testers	MA.
11.6.1.3.6	Flicker	Refer to limit sample if essential or flicker value<-30dB(measured by CA310A); OK		Naked eyes/ CA310A	MA.
11.6.1.3.7	Display abnormal	Not accepted		Naked eyes/ testers	MA.
11.6.1.3.8	Cross-talk	Refer to limited sample	+	Naked eyes/ limited sample	MA.
11.6.1.3.9	Display dim/bright	Refer to limited sample	/	Naked eyes/ limited sample	MA.
11.6.1.3.10	Contrast	Refer to limited sample	1	Naked eyes/ limited sample	MA.
11.6.1.3.11	Huge current	Out of spec, not accepted	1	Ammeter	MA.
11.6.1.3.12	TP function defect	Not accepted	1	Naked eyes/ Touch/ test program	MA.

11.6.2 LCD dot/line defect

11.6.2.1 LCD pixel dot defect(defect category : MI.)

ltem	Inspection criterion					
Size	S<5"	5"≤S<10"	10"≤S<15"			
Color pixel dot defect(RGB dot)	1	2	2			
2 connected bright dot	0	1	1			
3 connected bright dot or more	0	0	1			
Bright dot quantity	1	2	3			
Random dark dot quantity	2	3	4			
2 connected dark dot	1	1	2			
3 connected dark dot or more	0	0	0			
Dark dot quantity	3	4	5			



Item	Inspection criterion
Multi-bright dot	ND 3%hidden, OK

Remark: 2 bright dots distance DS≥15mm 2 dark dots distance DS≥5mm

- 1) Bright dot: Power on TFT and RGB dot in black display
- 2) Dark dot: Power on TFT and gray or black dot in RGB display
- 3) Multi-bright dot: Power on TFT and fluorescent tiny dot in black display(only visible in black display)

11.6.2.2 LCD appearance dot defect (defect category : MI.)

			In	spection c	riterion			Inspection
No.	Item	Si	ze	S<5"	5"≤S<10"	10"≤S<15"	Picture	method/tools
		D≤0).15	Not count	Not count	D≤0.2mm	_	
		0.15<	D≤0.25	3	3	Not count	\$ b	Nakad ayaa
		0.25<	0.25 <d≤0.30< td=""><td>2</td><td>0.2~0.35mm</td><td>а</td><td>Naked eyes /film card</td></d≤0.30<>		2	0.2~0.35mm	а	Naked eyes /film card
	Dot defect	0.30 <d≤0.35< td=""><td>0</td><td>1</td><td>Q'ty ≤ 4</td><td></td><td>/magnifier</td></d≤0.35<>		0	1	Q'ty ≤ 4		/magnifier
11.6.2.2.1	(black dot,	0.35<	0.35 <d≤0.50< td=""><td>0</td><td>1</td><td>D=(a+b)/2</td><td>/magninei</td></d≤0.50<>		0	1	D=(a+b)/2	/magninei
	white dot)	D>	0.5	0	0	0		
		Count dot	quantity≤	5		s bulk is not ac d as multi-dot.	cepted.	
		Length (mm)	Width (mm)	S<5"	5"≤S<10"	10"≤S<15"	ės.	
		Not count	W≤0.03	Accepted	Accepted	Accepted		
		L≤5	0.03≤W <0.05	3	3	Not count		Naked eyes /film card
11.6.2.2.2	Line defect (visible when	L≤5	0.05≤W <0.08	0	1	3		/magnifier
	power on)	L≤8	0.05≤W <0.08	0	0	1		
		L>8	W>0.08	0				
		Remark :						
		Invisible w	hen powe	r on,only vi	sible in spe	cial angle agair	nst light, show	as
		watermarl	k/folding/so	cratch but c	an not be to	ouched, no con	trol or refer to	keeping
		sample.						
11.6.2.2.3	Polarizer	Size	e(mm)	S<5"	5"≤S<10)" 10''≤S<15'	,	Naked eyes





convex-	D≤0.20	Not count	Not count	Not count	/film card
concave	0.20 <d≤0.5< td=""><td>2</td><td>2</td><td>2</td><td>/magnifier</td></d≤0.5<>	2	2	2	/magnifier
dot defect,	0.50 <d≤0.8< td=""><td>0</td><td>1</td><td>3</td><td></td></d≤0.8<>	0	1	3	
polarizer	0.8 <d≤1.5< td=""><td>0</td><td>0</td><td>1</td><td></td></d≤1.5<>	0	0	1	
bubble	D>1 Emm	0	0	0	
defect	D>1.5mm	0	0	0	

11.6.3 Chipping defect

11.0.3 Chip	ping defect						
No.	Item		Accepte	d criterion(mm)		MA.	MI.
11.6.3.1	ITO conductive side	Х	1	≤1/8L	1		
		Y	Y≤1/6W	1/6W <y≤1 4w<="" td=""><td>1/4W <y< td=""><td></td><td>,</td></y<></td></y≤1>	1/4W <y< td=""><td></td><td>,</td></y<>		,
	Z	Accept	2	2	0		$\sqrt{}$
	Corner chipping	х	1	≤1/6L	1		ı
	(ITO pins position)	Y	Y≤1/2W	1/2W <y≤w< td=""><td>W <y< td=""><td></td><td>$\sqrt{}$</td></y<></td></y≤w<>	W <y< td=""><td></td><td>$\sqrt{}$</td></y<>		$\sqrt{}$
11.6.3.2	1.6.3.2	Accept	2	1	0		
		Corner chipping occurred in sealed edge position as					
		per 6.3.3; at the same time it should not enter into black border of the frame and the corner chipping					
	Z			ection position perf			
		6.3.1.			•		
	Chipping in sealed	X	1	≤1/8L	1		
	area (outside chipping)	Y(outside chipping)	Not enter	Enter Y≤H	H <y< td=""><td></td><td></td></y<>		
	×	Y(inside chipping)	into sealant	Enter Y≤1/2H	1/2H <y< td=""><td></td><td></td></y<>		
11.6.3.3	z	Z	≤T	≤1/2T	1		V
		Accept	2	1	0		,
	12	The standa	rds of inner	and outer chipping	on edge		
	The Asia			When the chipping	_		
	Chipping in sealed area (inside chipping)	in the opposite of stage, Y as per the chipping on the non-conduction side standard in 6.3.1					



	Conductive side	Х	1	≤1/6L	1		
44.004	(back side chipping)	Y	Y≤1/3W	1/3W <y≤2 3w<="" td=""><td>2/3W <y< td=""><td></td><td>$\sqrt{}$</td></y<></td></y≤2>	2/3W <y< td=""><td></td><td>$\sqrt{}$</td></y<>		$\sqrt{}$
11.6.3.4	V Z	Accept	2	2	0		
	X	Chipping ir	Chipping into ITO side, refer to 6.3.1				
	Protruding LCD poor cutting and LCD burrs 11.6.3.5	х	/	≤1/8L	/		
		Y	≤1/6W	1/6W <y≤1 5w<="" td=""><td>1/5W <y< td=""><td></td><td>,</td></y<></td></y≤1>	1/5W <y< td=""><td></td><td>,</td></y<>		,
11635		Z	/	1	/		V
11.0.0.0		Accept	1	1	1		
		The outside protruding control as per the tolerance of drawing.					
11.6.3.6	Crack	expand to	Not allow to occur cracks without direction; the crack expand to inside is NG, but to outside is OK (confirmed as per the damaged standard)				V

Remark:

X means the length of chipping;

Y means the width;

Z means the thickness;

W means the step width of the two glasses;

H means the distance from the glass edge to the sealant inner edge;

T means glass thickness.

11.6.4 Backlight components

No.	Item	Description	Accepted criterion	MA.	MI.
11.6.4.1	No backlight wrong Color	/	Rejected	√	
11.6.4.2	Color deviation	When powered on, the LCD color differs from its sample and found that the color not conforming to the drawing after testing.	Refer to sample and drawing		V
11.6.4.3	Brightness deviation	When powered on, the LCD brightness differs from its sample and is found after testing not conforming to the drawing; or if it conforms to the drawing but the brightness over ±40% than its typical value.	Refer to sample and drawing		V



		Uneven on the same LCD and out of the			
11.6.4.4	Uneven	specification of the drawing. The no	Refer to sample	J	
11.0.4.4	brightness	specification evenness= (the max	and drawing	V	
		value-the min value)/ mean value< 70%.			
	Spot/line/	When power on, it has dirty spot,			Ī
11.6.4.5	•	scratches and so on spot and line	Refer to 6.2.2		
	scratch	defects.			

11.6.5 Metal frame (Metal Bezel)

No.	Item	Description	Accepted criterion	MA.	MI.	
	Material &	Metal frame/surface				
11.6.5.1	surface	treatment do not conform to	Rejected	√		
	treatment	the specifications.				
	Tab twist					
11.6.5.2	Unconformity/	Wrong twist method or direction and	Rejected	 √		
11.0.5.2	Tab not	twist tabs are not twisted as required.	Nejecieu	\		
	twisted					
44050	Bezel paint				,	
11.6.5.3	loss	1.Front surface :				V
		Paint peel off and scratch to the bottom				
11.6.5.4	Bezel scratch	Dot:D≤0.5mm, exceeds 3;			$\sqrt{}$	
	Painting peel	Line:L≤3.0mm,W≤0.05mm exceeds 2;	Dejected			
	off,	2.Front dent, air bubble and side with	Rejected			
	,	paint peeling off scratch to the bottom			,	
11.6.5.5	discoloration,	Dot: D≤1.0mm, exceeds 3;			$\sqrt{}$	
	dent, and	Line:L≤3.0mm,W≤0.05mm, exceeds 2;				
	scratch					
11.6.5.0	Direct	Burr(s) on metal bezel is so	Deigntod		-1	
11.6.5.6	Burr	long as to get into viewing area.	Rejected		٧	

11.6.6 FPC

No.	Item	Description	Accepted criterion	MA.	MI.
11.6.6.1	Model &P/N	Material model & P/N	Keep the same with drawing and technical requirement	V	



		Discouries in description	f≤1/3w, h ≤1/3H,		
		Dimension in drawing spec	dimension		
		н	in drawing spec-> OK		
	Dimension/	· · · · · · · · · · · · · · · · · · ·	Conducive material and		
			ITO/PDA connective		
			area must over than		
			1/2.		
11.6.6.2			Entire dimension must		√
	position	h	be in spec tolerance.		
		Remark: H=ITO pin length	 h _l l H		
		f=FPC width			
		W=ITO pin width			
			↑ <u> </u>		
			h2		
		Hot pressing material get broken, folding	Broken length<2mm;		
		line open;	FPC line is OK- >		
11.6.6.3	FPC	FPC golden finger oxidate,	Accepted		
11.0.0.0	appearance	broken ,scratch ,foreign	Crack and line		,
		material which cause line short	broken->Rejected		
		material which eaded line erior	When cover line and		
11.6.6.4	FPC burr	Burr near FPC edge area	burr length		$ \sqrt{ }$
11.0.0.4	l i o buii	Buil fical 11 o cage area	≤1.0mm->Accepted		'
	EDO (- III	EDO havadia a sasa fallia a affa allia a sal	=1.0mm->Accepted		
11.6.6.5	FPC falling	FPC bonding area falling off; silica gel	Rejected		√
	off	breaking			
	Sealant				
11.6.6.6	missing ITO	Sealant is not covered all ITO line	Rejected	√ √	
	line				
11.6.6.7	Missing	No sealant	Rejected	\downarrow	
11.0.0.7	sealant	TTO GOGILLITY	riojootoa	,	
11.6.6.8	Sealant	Section theight Spreaduct total height	Pointed		
11.0.0.0	Scalatil	Sealant height ->product total height	Rejected	\ \ \	
	1	I .	1		

11.6.7 SMT

No.	Item	Description	Accepted criterion	MA.	MI.
11.6.7.1	Soldering bridge	Solder between adjacent pads and components	Rejected		V
11.6.7.2	Solder ball/splash	Solder ball/tin dross causing short circuit at the solder point. There are active solder ball and splash.	Rejected		V



11.6.7.3	Soldering excursion	Soldering slant > 1/3 soldering pad 埋盘宽度	Rejected		V
11.6.7.4	Component	Component on PCB differs with drawing: wrong one, extra one,lack one,opposite polarity	Rejected	V	
	attaching	JUMP short circuit on PCB: extra soldering ,lack soldering.	Rejected	V	
11.6.7.5	Component falling off	Soldering but component is missing	Rejected	V	
11.6.7.6	Wrong component	Component model/spec differs from product specification	Rejected	V	

11.6.8 General Appearance

No.	Item	Description	Accepted criterion	MA.	MI.
	iteiii		Accepted criterion		IVII.
11.6.8.1	Dimension	According to drawing	Accepted	√	
11.6.8.2	Surface	Defect mark or label are not removed	Rejected		√
11.0.0.2	stain	residual glue, and finger print,etc;	riojootod		•
	Assembly	Dot/linear stain after assembly backlight	Invisible when power		
11.6.8.3	foreign	and diffuse film	on->OK		V
1.1101010	material	TP assembly fogy stain	Refer to 6.2.2 dot/line		,
	matorial	The december legy etain	spec		
11.6.8.4	Mixture	Different model product	Rejected	$\sqrt{}$	
	TVIIX COT O	in the same shipment	, tojootou	,	
11.6.8.5	Product	Missing, unclear, incorrect,	Rejected		V
11.0.0.0	mark	or misplaced part	, tojootou		,
	Component	Silk screen mark clear, resistance	Accepted		,
11.6.8.6	mark		(Refer to customer		V
	man	modeliou value in opec	special requirement)		
11.6.8.7	Newton's				اء
11.0.0.7	rings	Area<1/6 screen area quantity≤1	Accepted		V
		1.In black display	Refer to limited sample		
		ND 3% invisible ->OK; visible->NG	*		
11.6.8.8	Mura	2.Naked eyes inspection	the old the part to large or part of the p		\checkmark
		RGB display invisible			
		Black display, area<1/4 screen area	**		



11.6.8.9	Light leak	1.LCD edge(near backlight) shadow by LCD lamps irregular illuminate 2.Judge in black/white/gray display (slight leaky is yellowish,greenish, Tape 浮起漏光	Refer to limited sample	٨
11.6.8.10	Polarizer	1.Polarizer slant.Cover VA and not over LCD edge 2.No unmovable stain or finger print in polarizer VA	Accepted	√
		3.Bubble/warped but not enter VA		
		1.TP crack		
11.6.8.11	TP defect	2.TP stain(fogy& unremovable)	Rejected	V
		3.TP glue overflow to VA		

Remark:

Anything which is not clearly defined in 6.5~6.8 should refer to IPC-A-610E.Consumer Electronics, Non-consumer Electronics refer to I grade and Industrial, Automobile refer to II grade.

11.7 Others

Items not specified in this document or released on compromise should be inspected with reference to mutual agreement and limit samples.